

Preparation and Installation Tools and Accessories



Crimp tools and kits, cutters, strippers, and pliers and more

N Connector Installation Kits.....	88
Heavy-duty, Professional Grade Coaxial Crimper and Kits	89
Commercial Grade Coaxial Crimper and Kits	90-91
Coaxial Crimp Die Sets.....	92
Stripping and Preparation Tools.....	93-96
Wire Cutters	97
Pliers	98
Terminal Crimp Kits	99
Solderless Terminal Dies	100
Modular Installation Kits	101
Modular Handtools	102
Comprehensive List of Dies	103

3 ways to buy



In a Kit

- Rugged construction
- Foam lined
- Keep related items in one place
- Portable convenience
- Protection from the elements



Boxed Sets

- Crimp handle
- With die of your choice installed
- Buy only what you need
- Kept together in a cardboard box



Ala Carte

- Single piece
- Buy only what you need

N Connector Installation Kits



One kit provides everything for LMR®-400 N connector installation



Refill part numbers in table below

TOOLS & Acc.

- Each kit contains:
- ① Assembly Instructions
 - ② Professional Grade Crimp Tool and Die — RFA-4009-20 with RFA-4009-05 die for hex cavities: .100", .118", .429" (see following page)
 - ③ Cable Devil™ Preparation Tool — RFA-4420 (see page 93)
 - ④ Professional Grade Cable Cutter — RFA-4206 (see page 97)
 - ⑤ 1-Step Cable Stripper Series — RFA-4400 series (see page 93)
 - ⑥ 25 pc. N Connectors — select one connector part number from chart below

For more information go to page listed

Kit	25 pieces of 1 N-type Connector of your choice	Description	Cable Group	Replacement cartridge for RFA-4400 tool
RFA-4511-01	RFN-1006-3I	Male Crimp Plug for Belden 9913 & Times LMR-400	I	RFA-4400-01C
RFA-4511-02	RFN-1006-8I	Male Crimp Plug for Belden 9913 & Times LMR-400	I	RFA-4400-02C
RFA-4511-03	RFN-1006-9I	Male Crimp Plug for Belden 9913 & Times LMR-400	I	RFA-4400-02C
RFA-4511-04	RFN-1006-3E	Male Crimp Plug for RG-8/U	E	RFA-4400-01C
RFA-4511-05	RFN-1006-I	Male Crimp Plug for Belden 9913 & Times LMR-400	I	RFA-4400-01C
RFA-4511-06	RFN-1006-PL	Male Crimp Plug for Belden 89913 Plenum	PL	RFA-4400-01C
RFA-4511-07	RFN-1028	Female Crimp Jack for RG-8/U	E	RFA-4400-01C
RFA-4511-08	RFN-1028-I	Female Crimp Jack for Belden 9913 & Times LMR-400	I	RFA-4400-01C
RFA-4511-09	RFN-1009-I	Male Right Angle Crimp Plug for Belden 9913 & Times LMR-400	I	RFA-4400-02C
RFA-4511-10	RFN-1006-I-WB	Male Crimp Plug for Belden 9913 & Times LMR-400	I	RFA-4400-01C
RFA-4511-NC-1		Installation kit contains no connectors with RFA-4400-01 Stripper		RFA-4400-01C
RFA-4511-NC-2		Installation kit contains no connectors with RFA-4400-02 Stripper		RFA-4400-02C

Professional Grade Coax Crimper & Kits

ONE KIT CRIMPS MOST COAXIAL CONNECTORS



- Professional steel piston ratcheting crimp tool
- Changeable die sets
- Crimps most LMR-100 to LMR-600 size connectors
- Tool for quick die removal
- Rugged, foam-lined case

DELUXE KIT (RFA-4009-200) — 1 handle plus all 5 dies

BASIC KIT (RFA-4009) — 1 handle plus 2 most popular dies

(DIES RFA-4009-01 AND RFA-4009-05 SHOWN BELOW)



CRIMP HANDLE AND SPECIFIC HEX DIE BOXED SEPARATELY





Crimp Tool and Die in Cardboard Box	For "RF Connectors" Brand Cable Groups (see page 126 for details)	Contains this Die (see hex cavities below)
RFA-4009-201	L2	RFA-4009-01
RFA-4009-203	D, P, X, W	RFA-4009-03
RFA-4009-204	B, J, S	RFA-4009-04
RFA-4009-205	E, F, I, R	RFA-4009-05
RFA-4009-206	C, C1, C2	RFA-4009-06

TOOLS & Acc.

PROFESSIONAL GRADE CRIMP TOOL (RFA-4009-20)



- Steel piston ratcheting
- Cushion grip handle
- Blue anodized finish
- Weight: 1.3 lb.
- Equivalent to M22520/5-01
- Designed for ease of crimping
- Easier compression on larger ferrules
- Auto release when crimp complete
- Tool for quick die removal
- Accommodates up to LMR-600 or other .6-inch low-loss cable



INDIVIDUAL DIES



RFA-4009-01
HEX CAVITY: .610"



RFA-4009-03
HEX CAVITIES: .042",
.068", .255"



RFA-4009-04
HEX CAVITIES: .068",
.130", .178"



RFA-4009-05
HEX CAVITIES: .100", .118",
.429"



RFA-4009-06
HEX CAVITIES: .068",
.100", .213"

Kit

VERSATILE AND ECONOMICAL COAX CRIMP & STRIP KIT



- Ratchet crimp handle (shown below)
- Coaxial stripper (shown below)
- 10 changeable die sets
(see list of dies and specs on page 103)
- Crimps hex cavities from 0.042 to 0.429 inch across the flats
- Crimps most coaxial connectors and contacts
- Rugged, foam-lined case

See kit variations on following page.

TOOLS & Acc.

Ala Carte

RATCHET CRIMP HANDLE (RFA-4005-20)



RFA-4005-20

- Ratchet action with auto release with completed crimping
- High-carbon, heat-treated stamped steel
- Smooth, rapid die closure
- Disengagement lever for quick release
- Simple adjustment for die size and pressure requirements

Crimp handle is sold with specific dies on page 92.

COAX STRIPPING TOOL WITH ADJUSTABLE BLADES (RFA-4087)



RFA-4087

- Die cast zinc body
- Adjustable SK-5 blade
- Two or three step stripping
- 9.25mm to 10.8mm (.364 to .425 inches)
- For RG-8, 11, 213, 214/7, 9913 AND 9914
- Perfect for larger coax stripping needs

ADJUSTABLE
BLADES



REPLACEMENT BLADES
(6 PER PACKAGE)
RFA-4087-R14

NOTE: This tool is designed to produce the primary cuts. You will need to refer to the strip length dimensions on our drawing and manually adjust the final cuts accordingly.


For more information go to page 94.

Commercial Grade Coax Kit Variations

Kit

DELUXE CRIMPING TOOL AND DIE KIT (RFA-4006-500)

- Our most complete crimp kit
- 2 crimp handles **RFA-4005-20**
- 17 changeable die sets
(Complete list of "Commercial Grade" dies on page 103)
- Crimp coax cable terminals
- From RG-174/U to LMR-400 (AWG 8-22)
- Rugged, foam-lined case



EXPANDABLE CRIMPING TOOL AND DIE KITS

- Crimper(s) housed in durable, padded self-storage case
- Room for additional dies of your choice



- 1 Crimper **RFA-4005-20**
- **RFA-4005-01** and **-02** dies

See descriptions of Commercial Grade dies on page 103.



- 2 Crimper **RFA-4005-20**
- **RFA-4005-01** and **-02** dies



RFA-4005-100

- 1 Crimper **RFA-4005-20** and **RFA-4005-01** die

RFA-4005-200

- 1 Crimper **RFA-4005-20** and **RFA-4005-02** die



- 1 Crimper **RFA-4005-20**
- **RFA-4005-01, -02, -05, -06, -07 & -10** dies


Commercial Grade Coax Crimp Die Sets



COAX HEX DIES FOR RFA-4005-20 CRIMPER

Buy separately or with tool

For your convenience we offer our commercial grade crimp dies conveniently packaged with the RFA-4005-20 crimp handle in a cardboard box.



TOOLS & Acc.

Specific Die	Part Number for Die with Crimp Tool in Cardboard Box
RFA-4005-01	RFA-4005-400
RFA-4005-02	RFA-4005-300
RFA-4005-04	RFA-4005-304
RFA-4005-05	RFA-4005-305
RFA-4005-06	RFA-4005-306
RFA-4005-07	RFA-4005-307
RFA-4005-08	RFA-4005-308
RFA-4005-09	RFA-4005-309
RFA-4005-10	RFA-4005-310
RFA-4005-14	RFA-4005-314



RFA-4005-01

RG-58/U, RG-59/U, RG-142/U, RG-223/U, RG-400/U, RG-8X, Proflex and various video cables, cavity dimensions: .052", .068", .100", .213" and .255".



RFA-4005-07

.213", .178", .068", .042", for RG-58/U, RG-174/U, RG-316/U Coax Connectors (RFI Cable Groups B and C)



RFA-4005-02

RG-8/U, RG-213/U, RG-214/U, and Belden 9913 cables, cavity dimensions: .100", .128" & .429". The .128" cavity crimps the center pin on Belden 9913 cable.



RFA-4005-08

.324", .255", .068", .042", for RG-59/U and Belden 8281 Coax Cable (RFI Cable Groups D and G)



RFA-4005-04

.228", .068", .305", for RG-58/U, RG-59/U, RG-62/U and Cambridge Connectors Series CP-88 & CP-89



RFA-4005-09

.178", .128", .068", for RG-174/U, RG-188/U, RG-316/U and Mini 59/U Coax Connectors (RFI Cable Group B)



RFA-4005-05

.155", .184", .215"



RFA-4005-10

.080", .100", .429" for RG-8/U, RG-11/U and RG-213/U (RFI Cable Group E)



RFA-4005-06

.255", .324", .354" for RG-59/U, RG-6/U, and F-Type (CATV) Coax Connectors



RFA-4005-14

Belden 9913, LMR[®]-400, WBC-400 (RFI Cable Group I); .429", .118" hex cavities

MINIATURE PIN CRIMPING TOOL (RFA-4089)

- For Coax and D-Subminiature crimp pins
- Crimps smaller than .042" (AWG 20 to AWG 22)
- Movable die crimps many different pin sizes
- 4-point die action



RFA-4089

Stripping and Preparation Tools

CABLE DEVIL™ PREPARATION TOOL (RFA-4420)




As shown in our N Connector Installation Kit, page 88



RFA-4420

Replacement
Blades
RFA-4420-RB




Scraping


- Durable plastic body
- Fits comfortably in either hand
- Integrated bevel tool
- Long-lasting reversible teeth
- Cleans away jacket and dielectric without scoring
- Scrapes bonded dielectric from center conductors
- Bevels and removes burrs from center conductor with one twist



Before deburring



After deburring



Deburring

TOOLS & Acc.

CABLE STRIPPER FOR LMR-400 SIZE CABLE (RFA-4400 SERIES)



As shown in our N Connector Installation Kit, page 88



RFA-4400 series

- Ergonomic design
- Cut jacket, braid & dielectric in one step
- Tool steel twin blades in easily replaced cartridges
- Cartridges configured for specific LMR-400 cable connectors
- No guesswork
- Cartridges interchangeable within series



WITH FIXED
BLADES

Stripping

Tool	Replacement Cartridge	For Cable Size	Connector Part Number	Connector Description
RFA-4400-01 Handle with installed cartridge	<p>RFA-4400-01C (3 pc crimp connector)</p>	LMR-400	RFN-1006-3E	3 PIECE MALE CRIMP PLUG FOR RG-8/U
		LMR-400	RFN-1006-3I	3 PIECE MALE CRIMP PLUG FOR BELDEN 9913 & TIMES LMR-400
		LMR-400	RFN-1006-I	3 PIECE MALE CRIMP PLUG FOR BELDEN 9913 & TIMES LMR-400
		LMR-400	RFN-1006-PL	3 PIECE MALE CRIMP PLUG FOR BELDEN 8913 PLENUM
		LMR-400	RFN-1028	3 PIECE FEMALE CRIMP JACK FOR RG-8/U
RFA-4400-02 Handle with installed cartridge	<p>RFA-4400-02C (2 pc crimp connector)</p>	LMR-400	RFN-1006-8I	2 PIECE MALE CRIMP PLUG FOR BELDEN 9913 & TIMES LMR-400
		LMR-400	RFN-1006-9I	2 PIECE MALE CRIMP PLUG FOR BELDEN 9913 & TIMES LMR-400
		LMR-400	RFN-1009-I	2 PIECE MALE RIGHT ANGLE CRIMP PLUG FOR BELDEN 9913 & TIMES LMR-400

CONTACT US FOR MORE INFORMATION ON THE LMR-600

WE'VE GOT THE STRIPPING TOOLS FOR YOUR APPLICATIONS

WITH FIXED BLADES

COAX STRIPPING TOOL WITH FIXED BLADES (RFA-4086 SERIES)


Features:

- Part number indicates blade cartridge (see below)
- Easy insert, close and rotate process
- Stripping length: 4mm to 12 mm
- All strippers fit RG-6/U, 58/U, 59/U and 142/U
- Replaceable blades
- For left or right hand use




RFA-4086 SERIES

NOTE: This tool is designed to produce the primary cuts. You will need to refer to the strip length dimensions on our drawing and manually adjust the final cuts accordingly.




THREE STEP (3 BLADES)
RFA-4086-003

REPLACEMENT BLADE
RFA-4086-R03




TWO STEP (2 BLADES)
RFA-4086-006

REPLACEMENT BLADE
RFA-4086-R06



TWO STEP (2 BLADES)
RFA-4086-008

REPLACEMENT BLADE
RFA-4086-R08



TWO STEP (2 BLADES)
RFA-4086-012

REPLACEMENT BLADE
RFA-4086-R12

TOOLS & Acc.

COAX STRIPPING TOOL WITH ADJUSTABLE BLADES (RFA-4087)



RFA-4087

ADJUSTABLE BLADES

Features:

- Die cast zinc body
- Adjustable blade
- Two or three step stripping
- 9.25mm to 10.8mm (.364 to .425 inches)
- Cable jacket diameter
- For RG-8, 11, 213, 214/U, 9913 AND 9914
- Perfect for larger coax stripping needs



REPLACEMENT BLADES
(6 PER PACKAGE)
RFA-4087-R14

NOTE: This tool is designed to produce the primary cuts. You will need to refer to the strip length dimensions on our drawing and manually adjust the final cuts accordingly.

1.

2.

3.



Easily remove self-stored wrench.



Adjust to meet your stripping dimensions.



Give it a twirl!

WIRE STRIPPERS (RFA-4213 & RFA-4214)

RFA-4213 — for AWG 14, 16, 18 and 24

RFA-4214 — for AWG 10, 12, 14, 16 and 20



RFA-4213
RFA-4214

WIRE STRIPPERS AND CUTTERS (RFA-4215 & RFA-4216)



RFA-4215

For AWG 10 to 22



RFA-4216

For AWG 20 to 30

TERMINAL CRIMPER (RFA-4208)

- Open barrel tool
- For stamped, D-sub, and double D high density, miniature contacts



RFA-4208

TERMINAL CRIMPER WITH WIRE CUTTER (RFA-4209)


- Crimper / cutter combination tool
- Crimps insulated & non-insulated terminals



RFA-4209

IMPACT PUNCHDOWN TOOL (RFA-4210)

- Enables fast, uniform connections
- Seats & terminates shielded or unshielded twisted pair cables
- Rapidly change between 110 and 66 industry standard block termination blades
- Ergonomic design reduces hand fatigue during prolonged use
- Single-push, spring-loaded mechanism triggers blade at just the right point to seat and cut wire to size
- Adjustable impact levels for different gauge cables
- Blades with protection caps included
- Spare blade cartridge housed in tool body, easily removed
- One end for terminating and cutting, other end for terminating only



RFA-4210

"PORTA-STRIP" PORTABLE POWER STRIPPING TOOL KITS - RFA-4015 & RFA-4016



This hand-held power stripping tool will accommodate most sizes of coaxial cable. The Porta-Strip is the perfect tool for professional installers, broadcast and video studios, small manufacturers, and LAN installers. Small, lightweight, portable, fast and easy to use, the **RFA-4015** is the tool for which every technician has been waiting. Here is the ideal, low-cost, effective alternative to expensive bench strippers.

The **RFA-4015** Portable Power Stripper Kit contains: (1) battery-powered driver; (1) removable NiCad battery pak; (1) 1, 2, 3 or 4-level cutter head; (1) carrying case; (1) A/C charger

The **RFA-4016** kit is the production set-up for the Power Stripper. It is the same as the RFA-4015 kit except the NiCad battery pak is replaced by the A/C power supply.

Features:

- Quick changes with interchangeable cutter heads to fit all types of cables and connectors
- Factory-set blades last 15,000+ strips
- Hand-held NiCad battery operated
- Light weight & portable
- Rugged ABS carrying case
- AC/DC battery charger is standard
- AC converter is optional
- One Year Warranty covers:

RFA-4015-01 Battery Powered Driver

RFA-4015-02 NiCad Battery Pak

RFA-4015-03 A/C Converter



SEPARATE ACCESSORIES AVAILABLE



RFA-4015-01
Battery powered driver



RFA-4015-02
Removable NiCad battery pak



RFA-4015-05
A/C charger




RFA-4015-06
D/C charge cord

RFA-4015-03
A/C converter


RFA-4015-04
Carrying case

STANDARD CUTTER HEAD LIMITS

The Porta-Strip cutter heads are interchangeable and ordered for specific strip dimensions. Blade depth, however, is fully adjustable. Cutter heads can be ordered for any strip configuration within the limitations shown on the right. If you are unsure of your required settings, simply provide the connector part number, manufacturer and the cable to be used. We can then determine the proper cutter head configuration for your application.



CABLE LEVELS



RFA-4015-XX
CUTTER HEAD

WIRE CUTTERS FOR SMALL TO LARGE DIAMETER

HEAVY DUTY CUTTER (RFA-4204)



RFA-4204

- 24 inch length
- Excellent leverage for large cables
- Cuts copper and aluminum up to \varnothing .702"

FOR MULTI-CONDUCTOR AND STRANDED WIRE (RFA-4203)



RFA-4203

- Cuts round cable and multi-conductor cable to .5"
- Cuts coaxial cable up to RG-9/U
- Cuts stranded wire up to \varnothing .141"

SMALL DIAMETER CABLE CUTTER (RFA-4207)



RFA-4207

For smaller cable such as the center conductor of RG-316/174 as well as RG-58 types.

CUTS UP TO 2 AWG (RFA-4205)



For copper and aluminum cable up to 2 AWG



RFA-4205

SIDE CUTTER (RFA-4080-1)

- 4¼ inch long,
- Stainless steel



RFA-4080-1

CUTS UP TO 1 AWG (RFA-4206)



As shown in our N Connector Installation Kit, page 88



RFA-4206

Cuts up to 1 AWG copper and aluminum cable

OUR SPECIAL GRIPPER NIPPER™ (RFA-4084)



RFA-4084

- 4¼ inches long
- Holds the cut end until you release it

Kit

STAINLESS STEEL PLIERS KITS—with Serrated Jaws or Smooth Jaws



RFA-4080 — serrated jaws
RFA-4081 — smooth jaws

6-piece kit, serrated jaws (RFA-4080)

Includes 1 each: RFA-4080-1, -2, -3, -4, -5 and one RFA-4084

6-piece kit, smooth jaws (RFA-4081)

Includes 1 each: RFA-4081-1, -2, -3, -4, -5 and one RFA-4084

Why Stainless Steel?

- 1) Stainless steel will not stain, corrode or rust and needs little or no lubrication.
- 2) It is absolutely necessary for clean room use.
- 3) Stainless steel holds a sharper, keener edge longer and needs little, if any, sharpening.
- 4) Stainless steel is stronger, lighter weight, easier cutting, more efficient, and has longer life expectancy.

STAINLESS STEEL PLIERS — Sold Separately



Side Cutter Gripper Nipper™

RFA-4084

4 1/4" (108mm) Specially equipped wire cutter holds the cut end until you release it. Prevents flying pieces of wire.



Side Cutter

RFA-4080-1, RFA-4081-1


4 1/4" (108mm) Offers an oblique head for a full flush cut. For copper wire only.



Side Cutter, Round Nose

RFA-4080-2 (Serrated), RFA-4081-2(Smooth)

4 1/2" (114mm) Use to form wire loops on components.



Bent Nose

RFA-4080-3 (serrated), RFA-4081-3(smooth)

5" (127mm) Offset jaws for adjusting components in confined spaces.



Flat Long Nose

RFA-4080-4 (serrated), RFA-4081-4(smooth)

5" (127mm) For bending contact and relay springs, straightening or adjusting IC pins.



Half Round, Long Nose

RFA-4080-5 (SERRATED), RFA-4081-5(SMOOTH)

5 1/8" (130mm) Use wherever you now use long nose pliers.

VERSATILE CRIMPER—Works for both terminal and coaxial applications

CRIMP HANDLE (RFA-4005-20)

- High-carbon, heat-treated stamped steel
- Smooth, rapid die closure
- Disengagement lever for quick release
- Simple adjustment for die size and pressure requirements
- Auto release with completed stripping with correct die size



RFA-4005-20

TERMINAL KITS—Select the one that works best for you



RFA-4006-500

Deluxe Terminal Crimp Kit

- All available dies for terminal & coaxial applications
- 2 RFA-4005-20 crimp handles
- Foam-lined plastic case
- See page 91 for more information



RFA-4005-500

Terminal Crimp Tool Kit

- Cut and crimp all types of insulated and non-insulated strip terminals
- RFA-4215 wire cutter and stripper
- RFA-4005-20 crimp handle
- 7 crimp dies
- Foam-lined plastic case.
- Find wire cutter on page 97


Solderless Terminal Dies

Boxed Sets

SOLDERLESS TERMINAL DIES—for RFA-4005-20 Crimper

Buy dies separately or boxed with tool

For your convenience we offer our commercial grade crimp dies separately or conveniently packaged with the RFA-4005-20 crimp handle in a cardboard box.



TOOLS & Acc.

Die Alone	Die with Crimp Tool in Cardboard Box
RFA-4005-21	RFA-4005-321
RFA-4005-22	RFA-4005-322
RFA-4005-23	RFA-4005-323
RFA-4005-24	RFA-4005-324
RFA-4005-25	RFA-4005-325
RFA-4005-26	RFA-4005-326
RFA-4005-27	RFA-4005-327



RFA-4005-21
For non-insulated terminals AWG 22-8



RFA-4005-25
For non-insulated open barrel terminal from 0.5 to 6 sq.mm. AWG 22-18, 16-14, 12-10



RFA-4005-22
For non-insulated flag terminals from 0.5 to 2.5 sq.mm. AWG 22-18, 16-14



RFA-4005-26
For non-insulated terminals and cable lugs from 1.5 to 6 sq.mm. AWG 22-18, 16-14, 12-10



RFA-4005-23
For cord end terminals from 0.5 to 10 sq. mm. AWG 22-8



RFA-4005-27
For non-insulated terminals DIN 46234 from 0.5 to 10 sq.mm. AWG 22-18, 16-14, 12-10, and 8



RFA-4005-24
For insulated terminals from 0.5 to 6 sq.mm. AWG 22-18, 16-14, 12-10

Modular Installation Kits

FOR MODULAR INSTALLATION—In the field or at the bench



CAT 5 PANEL, CABLE ASSEMBLY & TEST KIT

- RFA-4202 Modular 3-in-1 Tool
- RFA-4218-20 CAT 5 Tester
- RFA-4210 Punch-Down Tool with 2 blades
- (25) RJ45 8P8C plugs
- (25) RJ45 boots



CAT 5 CABLE ASSEMBLY & TEST KIT

- RFA-4202 Modular 3-in-1 Tool
- RFA-4218-20 CAT 5 Tester
- (25) RJ45 8P8C plugs
- (25) RJ45 boots



CAT 5 CABLE ASSEMBLY KIT

- RFA-4202 Modular 3-in-1 Tool
- (25) RJ45 8P8C plugs
- (25) RJ45 boots.



MODULAR PLUG INSTALLATION KIT

- RFA-4202 Modular 3-in-1 Tool
- RFA-4210 Punch-Down Tool with 2 blades
- Assortment of RJ-11, RJ-12, and RJ-45 modular plugs
- Foam-lined plastic case.

TOOLS & Acc.

KIT COMPONENTS SOLD SEPARATELY



RFA-4218-20



CAT 5/6 CABLE TESTER (RFA-4218-20)

- EIA/TIA/10Base-T100/1000 tester
- RJ45 inputs
- LED display
- Tests 10Base-T pairs; straights, crossovers, miswires



RFA-4210

IMPACT PUNCHDOWN TOOL (RFA-4210)

- Seats and terminates shielded or unshielded twisted pair cables
- 110 and 66 industry standard block terminations
- More information on page 95


OUR OTHER TESTERS—AVAILABLE SEPARATELY OR IN KITS
 BNC INTERFACE—PAGE 121
 UNIDAPT™ (UNIVERSAL) INTERFACE—PAGE 113

Photo (not to scale)	Quantity	Description	Part Number
	25 PIECE PACK	RJ11 PLUG; 6 POSITION, 4 CONTACT; UL 942V-2 FLAME GRADE	RJ11-6P4C-25
	100 PIECE PACK		RJ11-6P4C-100
	1,000 PIECE PACK		RJ11-6P4C-1K
	25 PIECE PACK	RJ12 PLUG; 6 POSITION, 6 CONTACT; UL 942V-2 FLAME GRADE	RJ12-6P6C-25
	100 PIECE PACK		RJ12-6P6C-100
	1,000 PIECE PACK		RJ12-6P6C-1K
	25 PIECE PACK	RJ45 PLUG; FCC STANDARD; 8 POSITION, 8 CONTACT; UL 942V-2 FLAME GRADE	RJ45-8P8C-25
	100 PIECE PACK		RJ45-8P8C-100
	1,000 PIECE PACK		RJ45-8P8C-1K
	25 PIECE PACK	RJ45 BOOT, VINYL, BLACK	RJ45-BOOT-BK25
	100 PIECE PACK		RJ45-BOOT-BK100
	1,000 PIECE PACK		RJ45-BOOT-BK1K

FOR MODULAR INSTALLATION


TELEPHONE MODULAR TOOLS (RFA-4201 & RFA-4202)

- Connect modular voice/data plugs
- To 4, 6, and 8 conductor wire
- Combined crimping, stripping and cutting in one tool
- Crimp RJ-45, RJ-11, RJ-12 & handset plugs



TELEPHONE MODULAR TOOLS (RFA-4211 & RFA-4212)






- Connect modular voice/data plugs
- To 4, 6, and 8 conductor wire,
- Combined crimping, stripping and cutting in one tool
- Crimp RJ-45, RJ-11, RJ-12 & handset plugs













The **RFA-4211** accommodates 4 (4P/4C - Handset) and 6 (6P/6C RJ-12 and 6P/4C RJ-11) position modular telephone plugs.

The **RFA-4212** accommodates 6 (6P/6C RJ-12) and (6P/4C RJ-11) and 8 (8P/8C RJ-45) position modular telephone plugs.

Comprehensive List of Dies

PROFESSIONAL GRADE COAXIAL DIES		
Photograph	Description	Part Number
	HEX CAVITY: .610"	RFA-4009-01
	HEX CAVITIES: .042", .068", .255"	RFA-4009-03
	HEX CAVITIES: .068", .130", .178"	RFA-4009-04
	HEX CAVITIES: .100", .118", .429"	RFA-4009-05
	HEX CAVITIES: .068", .100", .213"	RFA-4009-06

COMMERCIAL GRADE MODULAR DIES		
Photograph	Description	Part Number
	For non-insulated terminals AWG 22-8	RFA-4005-21
	For non-insulated flag terminals from 0.5 to 2.5 sq.mm. AWG 22-18, 16-14	RFA-4005-22
	For cord end terminals from 0.5 to 10 sq.mm. AWG 22-8	RFA-4005-23
	For insulated terminals from 0.5 to 6 sq.mm. AWG 22-18, 16-14, 12-10	RFA-4005-24
	For non-insulated open barrel terminal from 0.5 to 6 sq.mm. AWG 22-18, 16-14, 12-10	RFA-4005-25
	For non-insulated terminals and cable lugs from 1.5 to 6 sq.mm. AWG 22-18, 16-14, 12-10	RFA-4005-26
	For non-insulated terminals DIN 46234 from 0.5 to 10 sq.mm. AWG 22-18, 16-14, 12-10, & 8	RFA-4005-27

COMMERCIAL GRADE COAXIAL DIES		
	RG-58/U, RG-59/U, RG-142/U, RG-223/U, RG-400/U, RG-8X, PROFLEX AND VARIOUS VIDEO CABLES, CAVITY DIMENSIONS: .052", .068", .100", .213" AND .255".	RFA-4005-01
	RG-8/U, RG-213/U, RG-214/U, AND BELDEN 9913 CABLES, CAVITY DIMENSIONS: .100", .128" & .429". THE .128" CAVITY CRIMPS THE CENTER PIN ON BELDEN 9913 CABLE.	RFA-4005-02
	.228", .068", .305", for RG-58/U, RG-59/U, RG-62/U and Cambridge Connectors Series CP-88 & CP-89	RFA-4005-04
	.155", .184", .215"	RFA-4005-05
	.255", .324", .354" for RG-59/U, RG-6/U, and F-Type (CATV) Coax Connectors	RFA-4005-06
	.213", .178", .068", .042", for RG-58/U, RG-174/U, RG-316/U Coax Connectors (RFI Cable Groups B and C)	RFA-4005-07
	.324", .255", .068", .042", for RG-59/U and Belden 8281 Coax Cable (RFI Cable Groups D and G)	RFA-4005-08
	.178", .128", .068", for RG-174/U, RG-188/U, RG-316/U and Mini 59/U Coax Connectors (RFI Cable Group B)	RFA-4005-09
	.080", .100", .429" for RG-8/U, RG-11/U and RG-213/U (RFI Cable Group E)	RFA-4005-10
	Belden 9913, LMR [®] -400, WBC-400 (RFI Cable Group I); .429", .118" hex cavities	RFA-4005-14



All dies are available separately